

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	321314	tables	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
2	BRS	L2	28082	1. and ip	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
3	BRS	L3	20397	2 and protocol	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
4	BRS	L4	8045	3 and (ip adj1 address)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
5	BRS	L5	168	4 and (prefix adj1 length)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	109	5 and range	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
7	BRS	L7	70	6 and header	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
8	BRS	L8	20	"70" and (skip adj1 list)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
9	BRS	L9	11	8 and key	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
10	BRS	L10	0	9 and (maximun adj1 level)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
11	BRS	L11	1	9 and (maximum adj1 level)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
12	BRS	L12	0	9 and (number adj1 clusters)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
13	BRS	L13	0	9 and (prefix adj1 length adj1 range)	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
14	BRS	L14	1	9 and hash	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
15	BRS	L15	0	"370"."395"."310".ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	0	370/395.031.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
17	BRS	L17	0	370/395.310.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B
18	BRS	L18	239	370/395.31.ccls.	US- PGPUB; USPAT; EPO; DERWEN T; IBM_TD B